

RG 104, 8KRA-104-84-051  
Box 1

Miscellaneous Correspondence Relating  
Primarily to Building Construction  
Alterations & Inspections, 1935-1937.

Herring Hall Marmite Safe Co.



Para 112 Two coats of approved  
Paint

Para 101 - Time Locks 96 hrs

Aug 20 - 36

Connection with your Club  
for Varch Kent Work - Dr. Wind.

You are reminded that  
your contract time for perform-  
ing the work is to Run  
Concurrently

# HERRING-HALL-MARVIN SAFE COMPANY

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

GRAND BOULEVARD

J. M. SWANSON  
VICE PRESIDENT AND GENERAL MANAGER

HAMILTON, OHIO

Oct. 5, 1936

Treasury Department,  
Procurement Division,  
Public Buildings Branch,  
United States Mint,  
Denver, Colo.

Attention: Mr. J. D. Owens.

Dear Mr. Owens:

Herewith, we are returning your voucher dated September 28 covering the further payment under our contract for vault work at the United States Mint at Denver, Colo., in the sum of \$315.00, and which we trust you will find in order.

Thanking you for your cooperation in this matter,


Yours very truly,

HERRING-HALL-MARVIN SAFE CO.

By

*J. H. Nicolson*  
Comptroller

JSN:ELL



OVER A CENTURY OF SERVICE



# HERRING-HALL-MARVIN SAFE COMPANY

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

GRAND BOULEVARD

HAMILTON, OHIO

Sept. 26, 1936

J. S. NICOLSON  
COMPTROLLER

Treasury Department,  
Procurement Division,  
Public Buildings Branch,  
United States Mint,  
Denver, Colo.

Attention: Mr. James D. Owens

Dear Mr. Owens:

We are in receipt of the payment for \$2572.00 which leaves unpaid the 10% retainer of \$1020.00 and a balance of \$400.00 over and above said retainer.

Granted your approval and acceptance of the work upon final inspection which we requested some time ago, we would be pleased to receive your further voucher for this balance of \$400.00 and your advice as to when and how the 10% retainer shall be made available to us.

Yours very truly,

HERRING-HALL-MARVIN SAFE CO.

By J. S. Nicolson  
Comptroller

JSN:ELL



OVER A CENTURY OF SERVICE

# HERRING-HALL-MARVIN SAFE COMPANY

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

GRAND BOULEVARD

HAMILTON, OHIO

Sept. 10, 1936

J. S. NICOLSON  
COMPTROLLER

Treasury Department,  
Procurement Division,  
Public Buildings Branch,  
United States Mint,  
Denver, Colo.

Attention: Mr. James D. Owens


Dear Mr. Owens:

Herewith, we are returning your voucher in duplicate for \$2572.00 on account of work done under contract #T1-PW-2542 dated September 10, 1935 for vault entrances at the Mint under appropriation 2X-872-Emergency Construction of Buildings Act. June 19, 1934 and which has been signed in accordance with your requirements.

Yours very truly,

HERRING-HALL-MARVIN SAFE CO.

By

  
Comptroller

JSN/ELL



OVER A CENTURY OF SERVICE



James D. Owens

Denver, Colorado

August 29, 1936.

Herring-Hall-Marvin Safe Co.,  
Grand Blvd.,  
Hamilton, Ohio.

Gentlemen:

In connection with your contract for Vault Entrance work, U. S. Mint, Denver, Colorado and in accordance with the terms thereof, enclosed is Voucher in the amount of \$2,572.00 covering work completed until the 26th of this month - leaving a balance of \$400.00 to cover cleaning, painting and adjusting all unfinished work. Please sign and return to writer at your earliest convenience.

Your sub-contractor the Charpiot Safe Co. has now started cleaning and finishing the Vault and Door work and it is believed that such finishing will be completed on or about the 10th of September. In view of this we suggest that you make formal request thru this office for final inspection of your work in accordance with Paragraph 44 of the Contract and Specifications. Should all work be finished and satisfactory on that date the writer will request that final inspection be made at the earliest time possible.

Very truly yours,  
James D. Owens

---

Construction Engineer.



James D. Owens

August 8, 1936.

Herring Hall Marvin Safe Co.,  
Grand Boulevard,  
Hamilton, Ohio.

Gentlemen:

In connection with your contract for Vault Entrance work Denver Mint, you are reminded that your contract time for performing the work is to run concurrently with the contract for construction of new extension and remodeling in the old building. That the expiration date as extended in now August 30th.

By the progress Construction Contractor is now making it is believed he will complete on the above mentioned date.

There remains the following items on your contract to be completed.

1. Removing and reinstalling the entrance to Vault No. 3, not available for resetting as yet.
2. Cleaning, adjusting, painting, placing and testing new time locks and mounting tool cabinet etc.

In view of this amount of work remaining to be finished, you are requested to take appropriate steps to conclude it all ready for final inspection on August 20, 1936.

Very truly yours,

James D. Owens

---

Construction Engineer.

# HERRING-HALL-MARVIN SAFE CO.

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

**GRAND BOULEVARD**

**HAMILTON, OHIO**

July 27, 1936

Treasury Department, Procurement Division,  
Public Buildings Branch, Field Force,  
United States Mint,  
Denver, Colorado

Gentlemen:

Att'n: Mr. James D. Owens,  
Construction Engineer

We thank you for your favor of July 25th enclosing voucher blanks in the sum of \$4,175.53 for our signature and covering work completed as advised.


Conforming to your requirements, we are herewith returning the said voucher blanks duly signed, and which we will thank you to kindly transmit to the Disbursing Officer at Washington, D. C. after you will have signed them as Construction Engineer.

Thanking you again,

Very truly yours,

HERRING-HALL-MARVIN SAFE CO.

By

  
Assistant Treas. Controller

JSN:JNL



# HERRING-HALL-MARVIN SAFE CO.

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

GRAND BOULEVARD

HAMILTON, OHIO

July 25, 1936

Mr. James D. Owens,  
Construction Engineer,  
U. S. Mint,  
Denver, Colo.

Dear Sir:

We are pleased to enclose four guarantees covering the Sargent & Greenleaf timelocks which we applied to vault doors installed in the U. S. Mint, Denver, Colo. under contract dated September 10, 1935.

#6405	Timelock	-	Case	#140
#6405	"	-	"	#141
#6405	"	-	"	#142
#5405	"	-	"	#143

Kindly acknowledge receipt of these guarantees.

Yours very truly,

HERRING-HALL-MARVIN SAFE CO.

*L. E. Miller*  
Cashier & Accountant

CEM:JNL  
Encl. 4



## S. & G. Quadruple Timelock

Made by

# SARGENT & GREENLEAF, INC.

Rochester, N. Y., U. S. A.

U. S. Mint

Denver, Colorado

In consideration of your purchase of a 6405 R.H. lock Case No. 140

### Sargent & Greenleaf Timelock,

and upon condition that the lock receives fair treatment, is at your expense examined, and cleaned, once each year, by an expert to be designated or approved by us (the charge for whose services, however, shall not exceed \$16.00 for each such examination and cleaning,) and is used according to the printed directions annexed hereto and constituting a part of this agreement, we guarantee for and during one year from this date, the following, to wit:

First, The proper working of the said lock, and

Second, That in the event of its locking you out by reason of any fault or defect in the lock, we will pay all expenses of opening and repairing or restoring the door, provided however, that we are promptly notified of any previous irregularity in the working of the lock and that the use of the lock be suspended in the event of any such irregularity occurring until it has been remedied; except that in the event of stoppage of one movement where a triple or quadruple lock is concerned, the use of the lock may be continued with the remaining movements, provided we are promptly notified of such stoppage; and provided further, that should you ever be locked out by said lock, we shall be at once notified thereof by telegraph, and we shall be allowed not less than sixty hours from the receipt of such communication in which to commence (by a person or firm to be designated by us) the opening of the door on which said lock is in use; but it is agreed that the work of opening said door shall be begun with all possible dispatch after our receipt of the notification aforesaid.

It is further understood that should any person, not expressly authorized by us, place any attachment upon said lock, or tamper with or remove its time movements or any other of its parts, then this guaranty shall be forthwith null and void.

Sargent & Greenleaf, Inc.

By

*W. D. Green*  
Vice President

Rochester, N. Y., July 3, 1936

Not valid unless countersigned by Herring-Hall-Marvin Safe Company

Countersigned at

Hamilton, Ohio

JUL 25 1936

19

HERRING-HALL-MARVIN SAFE COMPANY

Agent

PER

*W. H. Nicholson*  
Treasurer - Asst. Secretary and Comptroller



Enclosed in this guarantee you will find an extra printed direction for operation of the Time Lock which should be put in a convenient place for reference.


**SARGENT & GREENLEAF CO.**

Rochester, N. Y., U. S. A.

DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.

~~K and N~~

#6405 QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running ; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety ; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*

FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.

FIFTH—As a matter of convenience, bankers usually wind in the *morning*, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.


ROCHESTER, N. Y., U. S. A.



DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.

~~K and N~~

#6405 QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*

FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.

FIFTH—As a matter of convenience, bankers usually wind in the morning, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.

ROCHESTER, N. Y., U. S. A.

Enclosed in this guarantee you will find an extra printed direction for operation of the Time Lock which should be put in a convenient place for reference.

SARGENT & GREENLEAF CO.


Rochester, N. Y., U. S. A.



DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.

**K and N** #6405

QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running ; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety ; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*

FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.

FIFTH—As a matter of convenience, bankers usually wind in the morning, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.


SARGENT & GREENLEAF, INC.

ROCHESTER, N. Y., U. S. A.

DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.

~~K and N~~ #6405

QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running ; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety ; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*


FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.

FIFTH—As a matter of convenience, bankers usually wind in the *morning*, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.

ROCHESTER, N. Y., U. S. A.





## S. & G. Quadruple Timelock

Made by

# SARGENT & GREENLEAF, INC.

Rochester, N. Y., U. S. A.

U. S. Mint

Denver, Colorado

In consideration of your purchase of a 6405 R.H. Case No. 141

### Sargent & Greenleaf Timelock,

and upon condition that the lock receives fair treatment, is at your expense examined, and cleaned, once each year, by an expert to be designated or approved by us (the charge for whose services, however, shall not exceed \$16.00 for each such examination and cleaning,) and is used according to the printed directions annexed hereto and constituting a part of this agreement, we guarantee for and during one year from this date, the following, to wit:

First, The proper working of the said lock, and

Second, That in the event of its locking you out by reason of any fault or defect in the lock, we will pay all expenses of opening and repairing or restoring the door, provided however, that we are promptly notified of any previous irregularity in the working of the lock and that the use of the lock be suspended in the event of any such irregularity occurring until it has been remedied; except that in the event of stoppage of one movement where a triple or quadruple lock is concerned, the use of the lock may be continued with the remaining movements, provided we are promptly notified of such stoppage; and provided further, that should you ever be locked out by said lock, we shall be at once notified thereof by telegraph, and we shall be allowed not less than sixty hours from the receipt of such communication in which to commence (by a person or firm to be designated by us) the opening of the door on which said lock is in use; but it is agreed that the work of opening said door shall be begun with all possible dispatch after our receipt of the notification aforesaid.

It is further understood that should any person, not expressly authorized by us, place any attachment upon said lock, or tamper with or remove its time movements or any other of its parts, then this guaranty shall be forthwith null and void.

Sargent & Greenleaf, Inc.

By

Vice President

Rochester, N. Y., July 3, 1936

Not valid unless countersigned by Herring-Hall-Marvin Safe Co.

Countersigned at

Hamilton, Ohio JUL 25 1936  
HERRING-HALL-MARVIN SAFE COMPANY

19

Agent

PER

Enclosed in this guarantee you will find an extra printed direction for operation of the Time Lock which should be put in a convenient place for reference.

SARGENT & GREENLEAF CO.


Rochester, N. Y., U. S. A.



DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.

~~K and N~~ #6405

QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running ; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety ; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*

FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.


FIFTH—As a matter of convenience, bankers usually wind in the morning, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.

ROCHESTER, N. Y., U. S. A.



DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.  
~~K~~ and ~~N~~ #6405  
QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*


THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*

FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.

FIFTH—As a matter of convenience, bankers usually wind in the *morning*, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.  
ROCHESTER, N. Y., U. S. A.





## S. & G. Quadruple Timelock

Made by

# SARGENT & GREENLEAF, INC.

Rochester, N. Y., U. S. A.

U. S. Mint

Denver, Colorado

In consideration of your purchase of a 6405 R.H. - Case No. 142

### Sargent & Greenleaf Timelock,

and upon condition that the lock receives fair treatment, is at your expense examined, and cleaned, once each year, by an expert to be designated or approved by us (the charge for whose services, however, shall not exceed \$16.00 for each such examination and cleaning,) and is used according to the printed directions annexed hereto and constituting a part of this agreement, we guarantee for and during one year from this date, the following, to wit:

First, The proper working of the said lock, and

Second, That in the event of its locking you out by reason of any fault or defect in the lock, we will pay all expenses of opening and repairing or restoring the door, provided however, that we are promptly notified of any previous irregularity in the working of the lock and that the use of the lock be suspended in the event of any such irregularity occurring until it has been remedied; except that in the event of stoppage of one movement where a triple or quadruple lock is concerned, the use of the lock may be continued with the remaining movements, provided we are promptly notified of such stoppage; and provided further, that should you ever be locked out by said lock, we shall be at once notified thereof by telegraph, and we shall be allowed not less than sixty hours from the receipt of such communication in which to commence (by a person or firm to be designated by us) the opening of the door on which said lock is in use; but it is agreed that the work of opening said door shall be begun with all possible dispatch after our receipt of the notification aforesaid.

It is further understood that should any person, not expressly authorized by us, place any attachment upon said lock, or tamper with or remove its time movements or any other of its parts, then this guaranty shall be forthwith null and void.

Sargent & Greenleaf, Inc.

By

Vice President

Rochester, N. Y., July 3, 1936

Not valid unless countersigned by Herring-Hall-Marvin Safe Co.

Countersigned at

HAMILTON, OHIO JUL 25 1936  
HERRING-HALL-MARVIN SAFE COMPANY

19

Agent

PLB

Treasurer and Comptroller


Enclosed in this guarantee you will find an extra printed direction for operation of the Time Lock which should be put in a convenient place for reference.

**SARGENT & GREENLEAF CO.**

Rochester, N. Y., U. S. A.



DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.  
~~K and N~~ #6405  
QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running ; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety ; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*

FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.


FIFTH—As a matter of convenience, bankers usually wind in the *morning*, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.  
ROCHESTER, N. Y., U. S. A.

DIRECTIONS FOR USING  
SARGENT & GREENLEAF, INC.

~~K and N~~ #6405

# QUADRUPLE TIME LOCK



FIRST—Wind each movement until the indicator points to the number of hours that will elapse between the time of winding and the time of unlocking, *turning the key to the right.*

SECOND—*Notice particularly that all movements are running ; if not, start them up by touching carefully the balance wheel with a narrow piece of smooth paper, or by a very slight pressure of the key to the left before removing it from the winding stud.*

THIRD—*Should a movement stop from any cause, the remaining movements can be used with safety ; but never rely on one movement. Any failing movement should be put in perfect order as soon as possible by the manufacturers, their agent, or other competent expert, approved by them.*


FOURTH—Have the lock cleaned and oiled, and if necessary repaired once each year, by an expert designated or approved by us.

FIFTH—As a matter of convenience, bankers usually wind in the morning, 46 hours on Saturday, and 22 or 23 hours on all other days. NEVER WIND PAST THE LAST NUMBER ON THE DIAL.

SARGENT & GREENLEAF, INC.

ROCHESTER, N. Y., U. S. A.





## S. & G. Quadruple Timelock

Made by

# SARGENT & GREENLEAF, INC.

Rochester, N. Y., U. S. A.

U. S. Mint

Denver, Colorado

In consideration of your purchase of a 6405 L.H. Case No. 143

### Sargent & Greenleaf Timelock,

and upon condition that the lock receives fair treatment, is at your expense examined, and cleaned, once each year, by an expert to be designated or approved by us (the charge for whose services, however, shall not exceed \$16.00 for each such examination and cleaning,) and is used according to the printed directions annexed hereto and constituting a part of this agreement, we guarantee for and during one year from this date, the following, to wit:

First, The proper working of the said lock, and

Second, That in the event of its locking you out by reason of any fault or defect in the lock, we will pay all expenses of opening and repairing or restoring the door, provided however, that we are promptly notified of any previous irregularity in the working of the lock and that the use of the lock be suspended in the event of any such irregularity occurring until it has been remedied; except that in the event of stoppage of one movement where a triple or quadruple lock is concerned, the use of the lock may be continued with the remaining movements, provided we are promptly notified of such stoppage; and provided further, that should you ever be locked out by said lock, we shall be at once notified thereof by telegraph, and we shall be allowed not less than sixty hours from the receipt of such communication in which to commence (by a person or firm to be designated by us) the opening of the door on which said lock is in use; but it is agreed that the work of opening said door shall be begun with all possible dispatch after our receipt of the notification aforesaid.

It is further understood that should any person, not expressly authorized by us, place any attachment upon said lock, or tamper with or remove its time movements or any other of its parts, then this guaranty shall be forthwith null and void.

Sargent & Greenleaf, Inc.

By

Vice President

Rochester, N. Y., July 3, 1936

Not valid unless countersigned by Herring-Hall-Marvin Safe Company

Countersigned at

Hamilton, Ohio. JUL 25 1936

HERRING-HALL-MARVIN SAFE COMPANY

19

Agent

PER

Asst. Treasurer - Asst. Secretary and Comptroller



# HERRING-HALL-MARVIN SAFE COMPANY

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUBSIDIARY TO

HERRING & CO. NEW YORK  
FARREL & CO. PHILADELPHIA

MARVIN SAFE CO. NEW YORK  
HALL'S SAFE & LOCK CO. CINCINNATI

GRAND BOULEVARD

HAMILTON, OHIO

July 17, 1936

Mr. James D. Owens,  
Construction Engineer,  
U.S. Mint,  
Denver, Colo.

Dear Sir,

We are given to understand that installation of vault entrances under contract dated September 10, 1935 has not been completed and we trust satisfactorily so to you, and, in accordance with your requirements, we are herewith submitting our final estimate, in duplicate, which, as we understand, you will approve, if in order, and transmit to the Treasury Department at Washington, D.C., for payment in the usual way.

If there may be any detail that may remain to be taken care of, we would appreciate your kindly notifying us to this effect.

Thanking you for your cooperation in this matter and assuring you of our high regard,

Yours very truly,

HERRING-HALL-MARVIN SAFE CO.

by

*J. L. Nichols*  
Controller

JML/EL-



OVER A CENTURY OF SERVICE

**HERRING-HALL-MARVIN SAFE CO.**

MANUFACTURERS OF  
**SAFES, VAULTS AND LOCKS**  
 HAMILTON, OHIO

July 15, 1936

CONSIGNEE TO U. S. Treasury Department,  
 Washington, D. C.  
 ADDRESS Office of Director of Procurement  
 TERMS Public Works Branch

YOUR ORDER No.

OUR ORDER No. B0-79407

---

 CLAIMS FOR ALLOWANCE OF ANY KIND MUST BE MADE WITHIN FIVE DAYS FROM RECEIPT OF GOODS
 

---

**Project**

Denver, Colo., U. S. Mint  
 Vault Entrances (E & R)  
 (As per contract dated September 10, 1935)

For Furnishing and Installing:

<u>Vault #1 - First Floor</u>	
1 - 6" Door, Vestibule, Daygate & Footbridge	\$2,304.73
<u>Vault #1 - Mezzanine Floor</u>	
1 - 6" Door, Vestibule, Daygate & Footbridge	2,409.93
<u>New Coiners Vault #2 - First Floor</u>	
Relocate own Entrance	335.00
<u>Weight Clerks Vault #3 - First Floor</u>	
Relocate own Entrance	335.00
<u>New Refiners Vault #4 - Second Floor</u>	
1 - 4" Door, Vestibule, Daygate & Footbridge	2,259.05
Paint, Finishing & Misc. Work	<u>253.80</u>
	<u>\$ 7,897.51</u>
(Total Contract Price	\$10,600.00)
Less Previously furnished	
installed and billed	<u>2,702.49</u>
Balance due as per above	\$ 7,897.51

FO-4310



## READ CAREFULLY

All Shipments are fully and carefully inspected both before and after packing. We know that they are in good condition and securely packed when delivered to the railroad or transportation company.

**Our liability for the condition of shipments ceases when the bill of lading is issued.** We are not responsible for loss, damage or delay in transit. If you give the railroad or transportation company a clear receipt for damaged goods, you assume all liability. Immediately on receipt of a shipment, goods should be unpacked, and if concealed damage is found, you should require that the agent for the railroad or transportation company at once and without delay inspect the shipment and enter a full description of the damage on his receipt or on a form provided for that purpose. If this is done, full damage can be collected from the railroad or transportation company.

All claims must be made within ten days after receipt of shipments.

**Goods positively must not be returned without our consent.**

Goods returned will only be accepted for credit subject to our deductions for handling and accounting costs, or on the basis of their actual stock value to us at our factory.

HERRING-HALL-MARVIN SAFE CO.



**HERRING-HALL-MARVIN SAFE CO.**

MANUFACTURERS OF  
**SAFES, VAULTS AND LOCKS**  
 HAMILTON, OHIO

July 15, 1936

CONSIGNED TO

ADDRESS

TERMS

U. S. Treasury Department,  
 Washington, D. C.  
 Office of Director of Procurement  
 Public Works Branch

YOUR ORDER No.

OUR ORDER No. **BO-79407**


---

 CLAIMS FOR ALLOWANCE OF ANY KIND MUST BE MADE WITHIN FIVE DAYS FROM RECEIPT OF GOODS
 

---

**Project**

Denver, Colo., U. S. Mint  
 Vault Entrances (E & R)  
 (As per contract dated September 10, 1935)

For Furnishing and Installing:

<u>Vault #1 - First Floor</u>	
1 - 6" Door, Vestibule, Daygate & Footbridge	\$2,304.73
<u>Vault #1 - Mezzanine Floor</u>	
1 - 6" Door, Vestibule, Daygate & Footbridge	2,409.93
<u>New Coiners Vault #2 - First Floor</u>	
Relocate own Entrance	335.00
<u>Weight Clerks Vault #3 - First Floor</u>	
Relocate own Entrance	335.00
<u>New Refiners Vault #4 - Second Floor</u>	
1 - 4" Door, Vestibule, Daygate & Footbridge	2,259.05
Paint, Finishing & Misc. Work	253.80
	<u>\$ 7,897.51</u>
(Total Contract Price	\$10,600.00)
Less Previously furnished	
installed and billed	<u>2,702.49</u>
Balance due as per above	\$ 7,897.51

FO-4310



## READ CAREFULLY

All Shipments are fully and carefully inspected both before and after packing. We know that they are in good condition and securely packed when delivered to the railroad or transportation company.

**Our liability for the condition of shipments ceases when the bill of lading is issued.** We are not responsible for loss, damage or delay in transit. If you give the railroad or transportation company a clear receipt for damaged goods, you assume all liability. Immediately on receipt of a shipment, goods should be unpacked, and if concealed damage is found, you should require that the agent for the railroad or transportation company at once and without delay inspect the shipment and enter a full description of the damage on his receipt or on a form provided for that purpose. If this is done, full damage can be collected from the railroad or transportation company.

All claims must be made within ten days after receipt of shipments.

**Goods positively must not be returned without our consent.**

Goods returned will only be accepted for credit subject to our deductions for handling and accounting costs, or on the basis of their actual stock value to us at our factory.

HERRING-HALL-MARVIN SAFE CO.

ESTABLISHED 1880

# The Charpiot Safe Company

INCORPORATED

MANUFACTURERS OF AND DEALERS IN

**Fire and Burglar Proof Equipment  
Time Lock and Safe Experts**

1648-1650 BLAKE ST.

**Denver, Colorado**

TELEPHONE  
MAIN 2030

GEO. J. CHARPIOT  
PRES & GEN. MGR.

July 7, 1936

Mr. J. D. Owens,  
Supervising Engineer  
U. S. Mint Bldg.  
Denver, Colo.

Dear Sir:


The exact weight of the door that is to be hoisted is the heaviest one of the lot weighing 10,320 pounds.

If your elevator is a 5 ton capacity, we will guarantee to make good any damage to elevator caused by excessive loading.

Yours very truly,

CHARPIOT SAFE COMPANY

By

  
Pres.

Geo. J. Charpiot  
DRM



PW-SE-6B

James D. Owens

Denver, Colorado,  
June 4, 1936.

Supervising Engineer,  
Public Works Branch,  
Procurement Division,  
Washington, D. C.

Sir:

In reference to the contract with the Herring-Hall-Marvin Safe Co. for vault entrance work at the US Mint, Denver and complying with instructions contained in office letter PW-SE-6B, dated May 18, 1936, contained herewith is a voucher in the amount of \$2432.47 in favor of the above mentioned company, for work installed and completed up to and including the month of May.

The vault entrance is to run concurrent with the construction contract and will not be completed until in August. Therefore no final report, as requested, will be necessary until all work is finished.

There is being prepared and will be forwarded at an early date, a branch estimate of the costs involved, to be used as a basis of partial payment on the remainder of the work to follow.

Yours very truly,

James D. Owens

---

Construction Engineer.

# HERRING-HALL-MARVIN SAFE CO.

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

GRAND BOULEVARD

HAMILTON, OHIO

June 12, 1936

Mr. James D. Owens,  
Construction Engineer,  
United States Mint,  
Denver, Colo.

Dear Sir:-

Herewith, we are pleased to submit Detailed Branch Estimate For Basis of Monthly Payment, in triplicate, as submitted by you covering vault entrances (E&R) under contract dated September 10, 1935.


These copies of the said Detailed Branch Estimate are signed as required by you.

Thanking you for your attention to this matter,

Yours very truly,

HERRING-HALL-MARVIN SAFE CO.

By

  
Comptroller

JSN/ELL



# HERRING-HALL-MARVIN SAFE CO.

MANUFACTURERS OF

## SAFES AND BANK VAULTS

SUCCESSORS TO

HERRING & CO., NEW YORK  
FARREL & CO., PHILADELPHIA

MARVIN SAFE CO., NEW YORK  
HALL'S SAFE & LOCK CO., CINCINNATI

GRAND BOULEVARD

HAMILTON, OHIO

June 1, 1936

Mr. James D. Owens  
Construction Engineer,  
U.S. Mint,  
Denver, Colo.

Dear Sir,

This will acknowledge receipt of your favor of the 22nd ult. with reference to Vault Entrance work at the U.S. Mint, Denver and according to your wishes we are herewith submitting a Branch Estimate drawn up as we have interpreted your suggestion and which we trust will serve your purpose.

We are also returning herewith Public Voucher in duplicate for the work already completed and thank you for your instructions for future procedure.


We have written to our representative, Mr. Geo. E. Charpiot, 1648 Blake St., Denver, Colo., with reference to Payroll Reports and Affidavit and photographs as required and he will take care of same. Unfortunately it was omitted to enclose the Payroll and Affidavit forms with your letter and we have asked him to see you about them.

Thanking you for your kind indulgence in this matter,

Very truly yours,

HERRING-HALL-MARVIN SAFE CO.

By

  
Controller

JSN/ELL

HERRING-HALL-MARVIN SAFE CO.

DENVER, COLO., U.S. MINT

VAULT ENTRANCES (E&R)

(Contract dated September 10th, 1935)

DETAILED BRANCH ESTIMATE

*for basis  
of monthly payment -*

VAULT NO. 1 - SUB-BASEMENT

1-6" Door, Vestibule, Daygate & Footbridge 2,274.09

VAULT NO. 1 - BASEMENT

Relocate own Entrance  
and furnish 1 Special Footbridge 428.40

VAULT NO. 1 - FIRST FLOOR

1-6" Door, Vestibule, Daygate & Footbridge 2,304.73

VAULT NO. 1 - MEZZANINE FLOOR

1-6" Door, Vestibule, Daygate & Footbridge 2,409.93

NEW COINER'S VAULT NO. 2 - FIRST FLOOR

Relocate own Entrance 335.00

WEIGH CLERKS VAULT NO. 3 - FIRST FLOOR

Relocate own Entrance 335.00

NEW REFINERS VAULT NO. 4 - SECOND FLOOR

1-4" Door, Vestibule, Daygate & Footbridge 2,259.05

PAINT, FINISHING, & MISC. WORK

253.80

\$10,600.00

*Signed - [unclear]  
Signed - [unclear]*



FE-12-7

May 25, 1936.

General Expenses.

Construction Engineer Swryman,  
Harcott Farm,  
Lexington, Kentucky.

Visit Herring Hill Marvin Safe Company Grand Boulevard Hamilton Ohio inspect  
equipment being fabricated for Denver Colorado Mint. Travel expenses and per  
diem authorized. STOP If by automobile reimbursement on mileage basis authorized.  
Acknowledge.

By direction of the Secretary.

Assistant Director of Procurement  
Public Works Branch  
Treasury Department.

Confirmation

CC to Dist. Engr. #6.  
CC to C. E.

May 18, 1936.

62-8-B

Herring-Hall-Marvin Sefs Co.,  
Grand Boulevard,  
Hamilton, Ohio.

Gentlemen:

Reference is made to your letter dated May 12 stating that the work under your contract for installing a 6" door and vestibule, footbridge and sliding day gate in basement at the above project has been completed and enclosing invoice in amount \$2,708.42 covering same.

The matter is being taken up with the Construction Engineer and when his final report is submitted steps will be taken toward final settlement of the contract.

By direction of the Supervising Engineer.

Very truly yours,

Superintendent of Project Management.

CC:CE  
CC:DE





TREASURY DEPARTMENT

WASHINGTON

PROCUREMENT DIVISION  
PUBLIC WORKS BRANCH

May 18, 1936.

IN REPLYING QUOTE THE ABOVE SUB-  
JECT, BUILDING, AND THESE LETTERS PW- SE-6-B

Construction Engineer Owens,  
United States Mint,  
Denver, Colorado.

Sir:

This office is in receipt of a letter from the Herring-Hall-Marvin Safe Co., stating that the work under their contract for installing a 6" door and vestibule, foot-bridge and sliding day gate in basement has been completed and enclosing invoice in amount \$2,702.49 covering same.

If this is true you are directed to submit a final report and if not advise this office what remains to be done.

By direction of the Supervising Engineer.

Very truly yours,

Superintendent of Project Management.

Enclosure #23005.

DENVER, COLO., MINT.



TREASURY DEPARTMENT

WASHINGTON

PROCUREMENT DIVISION  
PUBLIC WORKS BRANCH

April 13, 1936.

IN REPLYING QUOTE THE ABOVE SUB-  
JECT, BUILDING, AND THESE LETTERS

PW- SE-6-B

Construction Engineer Owens,  
United States Mint,  
Denver, Colorado.

Sir:

In view of the statements in the enclosed report of inspection of the vault doors, dated April 1, 1936, the doors are considered satisfactory as far as completed.

Very truly yours,

*Neal A. Melick*  
Supervising Engineer.



G. R. Berryman, C. E.  
Re: Inspection of Vault Doors.

DENVER, COL., Mint.

Lexington, Kentucky.  
April 1, 1936.

Supervising Engineer,  
Public Works Branch,  
Procurement Division,  
Federal Warehouse,  
Washington, D. C.

Sir:

As directed in telegram dated March 28, an inspection was made on the morning of March 31, of the finished six inch door for the sub-basement vault of the Denver, Colorado, Mint, and the following report is respectfully submitted:-

Contractor, Herring-Hall- Marvin Safe Company,  
Hamilton, Ohio.

Contract dated, September 10, 1935.

Bond approved, September 30, 1935.

Notice to proceed, September 30, 1935.

Date for completion, 300 days.

Work was commenced, October 1, 1935.

Amount of contract, \$10,600.00.

The door and mechanism apparently complies with the contract drawings as approved. As the time locks had been set on an eight hour period no observation, other than hand control, was made of this feature. Operating test, after installation under this contract, should be made.

The finish on the housing of hinge was not smooth and this was being refinished before the inspection was completed.

An inspection was also made of the assembling of a six inch door for first floor, and a six inch door for mezzanine, and a four inch door for refiners vault, which was in accordance with the approved drawings.

Very truly yours,

*G. R. Berryman*  
Construction Engineer, Inspecting.

Copy to DE #5.  
" " DE #6.

6953

FD-36-7

March 28, 1934.

General Expenses.

Construction Engineer Berryman  
Eurotic Farm  
Lexington, Kentucky.

Visit Herring Hall Marvin Safe Company Grand Boulevard Hamilton this morning  
March thirty first inspect six inch door for sub-basement vault Denver  
Colorado Dist. Travel expenses and per diem authorized (STOS) If by  
automobile reimbursement on mileage basis authorized. Acknowledge.

By direction of the Secretary.

Assistant Director of Procurement  
Public Works Branch  
Treasury Department.

Confirmation

Confirmation

CC to Dist. Engr. #6  
CC to Constr. Engr. Owens.



James D. Owens,  
U.S.Mint, Denver.

Denver, Colorado  
March 9, 1936.

The Charpiot Safe Co.,  
1648-50 Blake St.,  
Denver, Colorado.

Gentlemen:

Replying to your recent request to slot the column head plate, shelf angle and base angle on the corridor side of the Sub-basement Vault Columns, U. S. Mint, Denver, Colorado, in order to provide clearance for the sliding day gate.

In this connection you are advised that no objection will be interposed to slotting the interferring details as indicated on drawing No. 15477X, provided the cut edge of angles are welded to the Head and Base plates by a continuous  $\frac{1}{4}$  fillet weld.

Slot should be 2  $\frac{7}{8}$ " wide instead of 2  $\frac{3}{8}$  shown on your drawing.

Yours very truly,

James D. Owens

---

Construction Engineer.



TREASURY DEPARTMENT

WASHINGTON

PROCUREMENT DIVISION  
PUBLIC WORKS BRANCH

IN REPLYING QUOTE THE ABOVE SUB-  
JECT, BUILDING, AND THESE LETTERS PW- SA\*S

February 19, 1936.

Construction Engineer Owens,  
U. S. Mint,  
Denver, Colorado.

Sir:

Reference is made to your letter of the 12th instant inclosing a letter from The Charpiot Safe Company, the Contractor's erector for the Vault Entrances for the U. S. Mint, Denver, Colorado, requesting permission to slot the column head plate, shelf angle and base angle on the corridor side of the sub-basement vault columns, in order to provide clearance for the sliding day gate.

In this connection you are advised that no objection will be interposed to slotting the interfering details as indicated on Drwg. 15477X, provided the cut edges of angles are welded to the base plate by a continuous  $\frac{1}{4}$ " fillet weld.

By direction of the Supervising Engineer.

Very truly yours,

Superintendent of  
Structural Engineering.

Copy to Distr. Engr.



PW-S-

Owens,  
U.S. Mint, Denver,

Denver, Colo.  
Feb. 12- 1936.

Supervising Engineer,  
Public Works Branch,  
Procurement Division,  
Washington, D.C.

Sir:-

Reference to the contract with the ~~contract~~  
Herring Hall Marvin Safe Co. for vault Entrance work ~~work~~  
at U.S. Mint, Denver, Colo.

Herewith is letter from the above company's  
erector, the Charpiot Safe Co. requesting permission  
to slot the column head plate, shelf angle and base  
angle on the corridor side of the sub basement vault  
columns where sliding day gate, as indicated on  
drawing No.1-413 are to intersect these columns.

The Entrance contractor's shop drawing  
Nos. 15414 and 15415X as approved failed to provide  
for gate clearance and in the meantime he fabricated  
the gate only to find he did not have opening  
clearance enough without being able to push the gate  
all the way back to the web of the columns.

With the columns located very close to  
wall bearing, the gate already fabricated and very  
difficult to re-arrange the carrier track and housing  
to fit the bearing plates and angles, there appears  
no objection to slotting the interfering members  
in the manner indicated on drawing herewith; provided  
the slot is made ~~#7/8~~ 2-7/8" wide to permit 1/4"  
fillet weld to be laid along the line of the cut  
all around to compensate for rivets.

It also may be necessary to move the back  
carrier forward slightly or extend the carrier rail to  
the web of column to prevent carrier running off of guide  
and hanging up .

This matter is referred to for your check  
and approval with an understanding there will be no  
charge for the re arrangement requested.

Yours very truly,

Const. Eng.

# F. J. KIRCHHOF CONSTRUCTION CO.

SEVENTH AND LAWRENCE STREETS

DENVER, COLORADO

TELEPHONE MAIN 5314

March 3, 1936

Procurement Division  
Public Works Branch  
Treasury Department  
Mr. James D. Owens, C. E.  
U. S. Mint  
Denver, Colo.

Dear Sir:

In Re: U. S. Mint, Denver, Colo.

We hereby notify you that we are ready to remove the wall of the old silver vault in the old building and ask you to notify the proper contractor to remove the present vault door and day gates which are now in place in this wall.

Yours very truly,

F. J. KIRCHHOF CONSTRUCTION CO.

By L. B. Johnson Jr.

GBF:S

*Started to cut out Basement Vault  
Door on March 3rd. 36. for the  
Charisat Safe Co.*



DENVER COLORADO MINT

Construction Engineer Owens

**INCLOSURE**

**23005**

copy of report.

FROM

**TREASURY DEPARTMENT**

**PROCUREMENT DIVISION**

**PUBLIC WORKS BRANCH**

**FORM 8762**

4/13/36

SE: sb

(Recipient please destroy this tag.)

-----  
(Division and typewriter's  
initials.)

January 24, 1936.

SE-6-B

Herring-Hall-Marvin Safe Co.,  
Grand Boulevard,  
Hamilton, Ohio.

Gentlemen:

In connection with your contract for extension and remodeling of steel vault entrances, and in reply to your letter of January 10, 1936 relative to paragraph No. 52 of the specifications and shop drawings you have submitted, you are advised as follows:

Paragraph 52 is interpreted to permit minor changes only after they have been submitted and approved in writing. The return of prints of shop drawings for revision is not construed as approving portions not specifically marked for change. The details of cam action were overlooked in the first submission of drawings but were corrected upon the resubmitted copies to conform to requirements already stated in the specifications. This particular change shown on your drawings is not considered a minor one, is believed to be cheaper to manufacture and not to present any advantage over the original specified method.

With reference to the tool steel worm and shaft, the specification on which your contract is based has been used previously for the same item and is being used on another project now under contract without objection.

Very truly yours,

Supervising Engineer.

CC:CE  
CC:DE

WEB:sb





